

AGTA GEMOLOGICAL TESTING CENTER

IDENTIFICATION REPORT

Date: July 2, 2004 Report No. 96058107 The item described below has been examined by at least two professional staff gemologists of the AGTA Gemological Testing Center. The results of the examination are presented here subject to the limitations printed on the reverse of this report.

Item Description:

Loose stone

Number of gems examined:

Color: Transparency: Weight (ct): Dimensions (mm): Light yellow Transparent 8.76

16.77 x 13.51 x 5.16

Shape: Cut:

Enhancement:

Irregular

Rough, with one polished facet

None

Group:

NATURAL FELDSPAR

Species:

NATURAL PLAGIOCLASE

Variety:

NATURAL YELLOW LABRADORITE

Comments:

The reverse of this page is an integral part of the report, it contains important information that may help in the interpretation of the information on this side.

Donna Beaton

Riccardo Befi
For and on behalf of the

		Establish the Identi				
Refractive index	Specific gravity	Hand spectroscope	Microscope ISI	Polariscope 50	FTIR	Othe
Radiography	Raman	UMMINE	Image spec	XRD	EDXRF	

American Gem Trade Association Gemological Testing Center

The examination of all gemstones involves procedures that may establish if a treatment has been applied. It is a policy of AGTA-GTC that all detectable treatments shall be featured on the front of reports. However, it is acknowledged that some treatments commonly applied to gem materials are nor currently detectable. Some of the treatments and the gemstones involved are listed below.

Stone type	Method	
Beryl	Heat	
	Irradiation	
Calcite (marble)	Irradiation	
Chalcedony	Heat	
	Dye	
	Irradiation	
Fluorite	Heat	
	Irradiation	
Jadeite	Dye, (purple)	
Quartz	Heat	
	Irradiation	
Spodumene	Heat	
	Irradiation	
Topaz	Heat	
	Irradiation	
Tourmaline	Heat	
	Irradiation	
Zircon	Heat	
Zoisite	Heat	

TERMS AND LIMITATIONS

The AGTA Gemological Testing Center (AGTC) provides its various gem materials reports often at a relatively small fee compared to the present and/or potential value of the articles described on them only because these reports are subject to the following limitations on the liability of AGTA Gemological Testing Center. All of the limitations apply to the client for whom the report and whom the report may be distributed, shown or transferred.

- (a) The client agrees to be responsible for, and to hold AGTC and its employees and agents harmless from any and all injury, loss, damage, or destruction of articles entrusted for examination while in the possession of AGTC, resulting from any cause whatsoever not caused by the proven negligence of AGTC or is employees.
- (b) AGTC and its employees and agents shall not be liable for any loss, damage, or expense for any error in. or omission from, any report, or for its issuance or use, even if caused by, or resulting from the proven negligence or other fault (except proven fraud, willful misconduct or gross negligence) of AGTC or any of its employees and agent.
- (c) AGTC and its employees and agents shall not be liable for special or consequential damages for any error in, or omission from, any report, or for its issuance or use, even if advised of the possibility of such damages.
- (d) Reports issued are not guarantees, valuations or appraisals, and AGTC makes no representation or warranty regarding the reports issued or the articles described in them. Each report contains a description of the article tested based upon tests and techniques used by AGTC at the time of examination.
- (e) The reports, Trademarks, or Service Marks of AGTC may not be reproduced in whole, or in part, without the prior written authorization of AGTC.